



Profile	Farbtemp. / CCT	Länge / Length x	Artikelnummer / Art. no.
1416	827	2m	1007499
1416	830	2m	1007497
1422	827	2m	1007503
1422	830	2m	1007501
1416	827	3m	1007500
1416	830	3m	1007498
1422	827	3m	1007504
1422	830	3m	1007502



Länge / Length x	Stück / Pcs. (Inklusive / included)
2m	4
3m	5

Standardset

Optional / optionally


Profile	Art. Nr. Standardset	Stück / Pcs.	Art. Nr. optional / optionally	Stück / Pcs.
1416	1007505	2	1005733	1
1422	1007506	2	1005729	1



Artikelnummer / Art. no. 1006880




Artikelnummer / Art. no. 1006313



Artikelnummer / Art. no. 1007599




Artikelnummer / Art. no. 1006314






Artikelnummer / Art. no. 1007411



Leistung / Power DIP-Switch




W	X max. (Maximale Länge mit einer Einspeisung)
6	25m
12	20m
18	15m
22	11m










Profil optimal zuschneiden / cut profile optimal


	⊕
50mm	3-5mm
100mm	
150mm	
200mm	
...	




Profilzuschnitt auf Mass / cut profile to size









2






3






smarterion


SCHWEIZER LED KOMPETENZ




1




2







3




i















3





i















smarterion

SCHWEIZER LED KOMPETENZ










3




i












7




8










1




2




3





4




5




i




6



7





Warnings

The equipment may only be installed and put into service by authorised technical personnel (electrical fitters). The luminaire is designed solely for lighting applications and is to be installed according to the installation regulations. Any other form of use or installation is considered to be improper. Failure to comply with the installation instructions can damage the luminaire beyond repair. Return to the manufacturer if any defects are identified. The installation instructions must be retained for future reference. Subject to technical changes. Not to be installed on a wet or conductive substrate. The luminaire is only to be installed, put into service or modified in any way by authorised skilled personnel (a qualified electrician). National installation regulations must be observed. Before any work is performed on the luminaire, it must be disconnected from mains. Hot plug-in is not an option and may cause damage to the luminaire! The manufacturer is not liable for damage resulting from improper/faulty installation or operation, or from unauthorised modifications to the luminaire. The light source contained in this luminaire is only to be replaced by the manufacturer, a service technician authorised by the manufacturer or a similarly qualified person. Caution, risk of electric shock! In the event of questions or queries, please contact the manufacturer.



Disconnect the luminaire from the power supply.



Caution, risk of electric shock!



DISPOSAL

The packaging must be recycled via the DSD (Green Dot) scheme or its equivalent. Dispose of the packaging correctly sorted. Waste electrical and electronic equipment must never be disposed of together with household waste. In accordance with the EU directives, the device must be disposed of in an orderly manner at the end of its service life. This means having the materials contained in the device recycled to avoid polluting the environment. Take the waste equipment to a collection point for electrical and electronic waste or to a recycling depot. For further information, please contact your local waste disposal service or your local authority.

IP20

Protected against ingress of solid foreign objects with a diameter of more than 12.5 mm.



Class III luminaires for operation at safety extra-low voltage (SELV)